

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandra, Virginia 22313-1450 www.webje.gov

L DESCRIPTION AND	THE PAGE TO LATE	THOUSAND BRIDATION	ARTONATA DOCUMENO	CONTRACTORIANO
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/579,109	05/13/2006	Vladisav Milovanovic	VM001a0nUS	1314
7590 12/03/2008 David Burleson Zollinger + Burleson P O Box 2368			EXAMINER	
			GREEN, ANTHONY J	
Canton, OH 44	720		ART UNIT	PAPER NUMBER
,			1793	
			MAIL DATE	DELIVERY MODE
			12/03/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

## Notice of Non-Compliant Amendment (37 CFR 1.121)

Application No.	Applicant(s)	
10/579,109	MILOVANOVIC	, VLADISAV
Examiner	Art Unit	
Anthony J. Green	1793	

The amendment document filed on <u>27 October 2008</u> is considered non-compliant because it has failed to meet the requirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant correction of the following the followi ite

item(s) is required.	it document to be compliant, correction of the following
THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDM   1. Amendments to the specification:	
2. Abstract:     A. Not presented on a separate sheet. 37 CFR 1.7     B. Other	72.
□ 3. Amendments to the drawings:     □ A. The drawings are not properly identified in the I     □ Annotated Sheet as required by 37 CFR 1.12     □ B. The practice of submitting proposed drawing α showing amended figures, without markings, ir     □ C. Other	21(d). orrection has been eliminated. Replacement drawings
number by using one of the following status ide	of all pending claims (including withdrawn claims) per status identifier, and as such, the individual status per status of every claim must be indicated after its claim entifiers: (Original), (Currently amended), (Canceled), Withdrawn) and (Withdrawn-currently amended), been presented in ascending numerical order.
For further explanation of the amendment format required by 37	CFR 1.121, see MPEP § 714.
TIME PERIODS FOR FILING A REPLY TO THIS NOTICE:	
Applicant is given no new time period if the non-compliant a filed after allowance. If applicant wishes to resubmit the non-entire corrected amendment must be resubmitted.	
<ol> <li>Applicant is given one month, or thirty (30) days, whichever correction, if the non-compliant amendment is one of the folk (including a submission for a request for continued examinat amendment filed within a suspension period under 37 CFR 1. Quayle action. If any of above boxes 1. to 4. are checked, the non-compliant amendment in compliance with 37 CFR 1.121</li> </ol>	owing: a preliminary amendment, a non-final amendment ion (RCE) under 37 CFR 1.114), a supplemental .103(a) or (c), and an amendment filed in response to a e correction required is only the corrected section of the
Extensions of time are available under 37 CFR 1.136(a) amendment or an amendment filed in response to a Quay	
Failure to timely respond to this notice will result in:  Abandonment of the application if the non-compliant a filed in response to a Quayle action, or  Non-entry of the amendment if the non-compliant ame amendment.	amendment is a non-final amendment or an amendment endment is a preliminary amendment or supplemental
/Anthony J. Green/ Primary Examiner. Art Unit 1793	

<sup>--</sup> The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Continuation Sheet (PTOL-324)

Application No. 10/579,109

Continuation of 1(c) Other: double bracketing cannot be used to show deletion of more than 5 words. See the amendment to the specification bridging pages 5-6 and page 10.

Further due to the extensive number of amendments to the specification it is suggested that a substitute specification be filed which incorporates all of the amendments. Applicant is reminded that if a substitute specification is filed that a clean version and a marked up version should be submitted.